

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	294	( (scan\$4 OR image reading) AND (print\$4 OR image forming) AND (synchron\$5 OR asynchron\$5) AND (problem OR trouble OR error OR jam OR fail OR failure OR failed OR unable OR prevent OR prevented OR preventing) ). CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 15:55
S1	1	10/003257	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 14:11
S2	8	((AKIRA) near2 (OHTSU)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/29 14:42
S3	4415	(error OR trouble OR problem) SAME (copier) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:46
S4	14189	(error OR trouble OR problem) SAME (scan\$4 AND print\$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:46
S5	911	(error OR trouble OR problem) AND (358/1.14).CCLS. AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:48
S6	85721	(error OR trouble OR problem) SAME (stop OR halt OR suspend) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:49
S7	44130	(error OR trouble OR problem) WITH (stop OR halt OR suspend) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:50

S8	1928	(error OR trouble OR problem) WITH (stop OR halt OR suspend) AND (print\$4 AND scan\$4 AND cop\$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:50
S9	23	( (error OR trouble OR problem) WITH (stop OR halt OR suspend) ).AB. AND (print \$4 AND scan\$4 AND cop\$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:51
S10	31	( (error OR trouble OR problem OR abnormal\$5) WITH (stop OR halt OR suspend) ).AB. AND (print\$4 AND scan\$4 AND cop \$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:06
S11	8	S10 not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:08
S12	1102	(358/1.14).OCLS. AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:14
S13	824	(358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:14
S14	518	(print\$4) AND (scan\$4) AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:15
S15	454	(( (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:17
S16	9	(( (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ).AB. AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:17

S17	1	(10/640045).APP.	USPAT; USOCR	ADJ	ON	2008/05/29 16:23
S18	6	("4860119"   "5507003"   "5532849"   "5565964"   "5724154"   "6804016").PN. OR ("7209247").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/30 12:32
S19	398	((stor\$4) WITH (memor\$4) ) AND ( (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:20
S20	295	((stor\$4) WITH (memor\$4) ) AND (cop\$3) AND ( (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:23
S21	313	((stor\$4) WITH (memor\$4) ) AND (cop\$4) AND ( (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:24
S22	147	((stor\$4) WITH (memor\$4) ) AND (cop\$4) AND (compress\$4 OR decompress\$4) AND ( (print \$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:30
S23	93	(( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( (cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:32
S24	3	(( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) SAME ("on the fly" OR on-the-fly) ) AND ( (cop \$4) AND (print\$4) AND (scan \$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 12:47

S25	3510	((stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( (cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:40
S26	2521	((stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4) ) AND ( (cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:41
S27	1094	((stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4) ) AND ( (cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:41
S28	227	((stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4) SAME (copy\$4 OR sync\$8) ) AND ( (cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:42
S29	1	(severity NEAR2 error) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:46
S30	1	(severity NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:54
S31	3	((severity OR magnitude) NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:56

S32	2	((sever44 OR magnitude) NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:56
S33	14	((sever\$4 OR magnitude) NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:56
S34	28	(stop NEAR2 print\$4) WITH ((error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 14:08
S35	83	( (stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4) ) AND ( (cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5) ) AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 15:44
S36	0	2006/0099993	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 16:31
S37	2	"20060099993"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 16:31
S38	8	( ( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( (print \$4) WITH (scan\$4) WITH (page memory) ) AND (358/1.14).OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:21
S39	12	( ( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( (print \$4) WITH (scan\$4) WITH (buffer) ) AND (358/1.14). OCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:27

S40	0	(( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( ( (cop \$4) OR ( (print\$4) WITH (scan \$4) ) ) WITH (buffer OR page memory) WITH (bypass OR by-pass) ) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:33
S41	0	(( ( (cop\$4) ) OR ( (print\$4) WITH (scan\$4) ) ) WITH (buffer OR page memory) WITH (bypass OR by-pass) ) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:34
S42	0	(( ( (cop\$4) ) OR ( (print\$4) WITH (scan\$4) ) ) WITH (buffer OR page memory) SAME (bypass OR by-pass) ) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:34
S43	95	(( ( (cop\$4) ) OR ( (print\$4) WITH (scan\$4) ) ) WITH (buffer OR page memory) ) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:34
S44	0	(( ( (cop\$4) ) OR ( (print\$4) WITH (scan\$4) ) ) WITH (buffer OR page memory) ) AND ("358").CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:35
S45	1449	(( ( (cop\$4) ) OR ( (print\$4) WITH (scan\$4) ) ) WITH (buffer OR page memory) ) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:35
S46	474	(( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( ( ( (cop \$4) ) OR ( (print\$4) WITH (scan \$4) ) ) WITH (buffer OR page memory) ) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:35

S47	474	(( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( ( (cop \$4) ) OR ( (print\$4) WITH (scan \$4) ) ) WITH (buffer OR page memory) ) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:36
S48	0	(( (stor\$4) WITH (memor\$4) ) SAME (compress\$4 OR decompress\$4) ) AND ( ( (cop \$4) ) OR ( (print\$4) WITH (scan \$4) ) ) WITH (buffer OR page memory) WITH (bypass OR bypass) ) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:38
S49	9	(primary memor\$4) SAME (secondary memor\$4) SAME (compress\$4 OR decompress \$4) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 14:55
S50	6	("6429949" OR "6323958" OR "6621592").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/02 16:54
S51	3	("6429949" OR "6323958" OR "6621592").PN.	USPAT	ADJ	ON	2009/04/02 16:54
S52	12	("20020048046"   "5371793"   "5548740"   "6437875"   "6480296").PN. OR ("6621592").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/02 17:14
S53	7	("5710638"   "6067408"   "6128094"   "6345345"   "6449056"   "6621592").PN. OR ("6900906").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/02 17:23
S54	3	("6323958"   "6429949"   "6621592").PN. OR ("7218412").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/02 17:24
S55	9	S53 OR S54	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/02 17:24
S56	39886	"355".CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 10:59

S57	102975	"399".CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 10:59
S58	2320	358/1.14.OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 11:01
S59	2523	358/1.16.OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 11:01
S61	142198	S56 OR S57 OR S58 OR S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 11:06
S62	1243	( ( stor\$4 OR writ\$4) WITH (memor\$4 OR storage) ) SAME (compress\$4 OR decompress \$4) ) AND S61 AND @ad<="20011206" OR @rlad<="20011206" OR @pd<="20011206" OR @rlpd<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 11:10
S63	503	( ( stor\$4 OR writ\$4) NEAR3 (memor\$4 OR storage) ) NEAR5 (compress\$4 OR decompress\$4) ) AND S61 AND @ad<="20011206" OR @rlad<="20011206" OR @pd<="20011206" OR @rlpd<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 11:10
S64	188	(synchron\$6) AND ( ( stor\$4 OR writ\$4) NEAR3 (memor\$4 OR storage) ) NEAR5 (compress \$4 OR decompress\$4) ) AND S61 AND (@ad<="20011206" OR @rlad<="20011206" OR @pd<="20011206" OR @rlpd<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 11:11
S65	159	399/83.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 12:25



S66	2	"6433880".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 13:07
S67	8	("5881337"   "6054988"   "6181436").PN. OR ("6433880").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/06 13:08
S68	7	("20010015812"   "20020030851"   "5881337"   "6054988"   "6181436"   "6433880").PN. OR ("6747751").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/06 13:20
S69	172	S64 AND (problem OR trouble OR error OR jam OR fail OR failure OR failed OR unable OR prevent OR prevented OR preventing)\	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 13:52
S70	172	S64 AND (problem OR trouble OR error OR jam OR fail OR failure OR failed OR unable OR prevent OR prevented OR preventing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/06 13:52
S71	7	("20010015812"   "20020030851"   "5881337"   "6054988"   "6181436"   "6433880").PN. OR ("6747751").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/06 14:12

4/ 15/ 2009 3:55:50 PM

C:\ Documents and Settings\fguillermety\ My Documents\ EAST\ Workspaces\ 10003257 - Image  
Forming Apparatus and Image Forming Method.wsp